



Electrical Plan

Scale 1:100 @ A3

Alarm

Supply power to and install an alarm

Kitchen Appliances

Supply power to all kitchen appliances as necessary

Hot Water Unit

Supply power to HWU as necessary

Smoke Alarm Note

Smoke alarms using scattered light, transmitted light or ionisation to be hard-wired and interconnected and with a back up battery as per A.S. 3786

Air Conditioning Note

Electrician to confirm if Air conditioning is to be installed with owner/builder

TV Antenna

Supply power to and install a TV Antenna

ELECTRICAL LEGEND

- LIGHT BAYONET/PENDANT
- WALL LIGHT 2000 AFL
- SINGLE FLUORO
- DOUBLE FLUORO
- TRACK LIGHT
- LED DOWN LIGHT (SEALED)
- 90mm EXTRA LOW VOLTAGE
- ☒ VALET OUTLETS
- ☒ IXL TASTIC
- EXHAUST FAN
- DOUBLE GPO @ 300 AFL
- GPO @ 300 AFL
- △ DOUBLE GPO @ 975 AFL
- △ GPO @ 975 AFL
- △ DOUBLE GPO @ 1350 AFL
- △ GPO @ 1350 AFL
- △ GPO FOR D.W. & M.W & STOVE
- GAS POINT
- HOT WATER SYSTEM
- METER BOX
- ☒ RANGEHOOD
- T.V. POINT
- ☒ PHONE POINT CONDUIT & DRAW WIRE ONLY
- DATA POINT
- SMOKE DETEC. ALARM
- EXTERNAL MOTION SENSOR
- DIMMER
- ② TWO WAY SWITCH
- WP WATER PROOF
- INDOOR MOTION SENSOR
- DOORBELL
- LIGHT SWITCHES 1400 AFL
- ☒ CEILING FAN

client

site

Proposed Single Storey Residence
Lot 1452, Hn 10, Azima St,
SOUTHERN RIVER

DATE: 3/08/2019

REV. DATE: DESCRIPTION:

JOB No.

19 - 930

SHEET No.

A05 of 07

BUILDING PERMIT

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO COMMENCING ANY WORK. USE WRITTEN DIMENSIONS IN PREFERENCE TO SCALING.
NOTIFY THE DESIGNER IF ANY DESCREPANCIES OCCUR
TO BE READ IN CONJUNCTION WITH ALL CONSULTANT DWGS
amconstruct2016@gmail.com

